

## UNITED STATES PATENT AND TRADEMARK OFFICE

8m

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addres: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Vuginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/016,475	11/30/2001	Roger Proksch	41369/LTR/A656	4570	
20985 75	90 06/12/2003				
FISH & RICHARDSON, PC			EXAMINER		
4350 LA JOLLA VILLAGE DRIVE SUITE 500 SAN DIEGO, CA 92122			PATIDAR	PATIDAR, JAY M	
			ART UNIT	PAPER NUMBER	
			2862		
			DATE MAILED: 06/12/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

		lacksquare					
	Application No.	Applicant(s)					
Office Action Commons	10/016,475	PROKSCH ET AL.					
Office Action Summary	Examiner	Art Unit					
·	Jay M. Patidar	2862					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPI THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu - Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).  Status	136(a). In no event, however, may a r ply within the statutory minimum of thir d will apply and will expire SIX (6) MON te, cause the application to become AE	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on <u>08</u>	April 2003 .						
2a)⊠ This action is <b>FINAL</b> . 2b)□ T	his action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>							
4) Claim(s) 1-60 is/are pending in the application.							
4a) Of the above claim(s) <u>4-60</u> is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-3</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
<ul> <li>a)  The translation of the foreign language p</li> <li>15)  Acknowledgment is made of a claim for domes</li> </ul>							
Attachment(s)							
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s)</li> </ol>	5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)					

Application/Control Number: 10/016,475

Art Unit: 2862

- This communication is in response to applicants' amendment filed on April 8, 2003.
- 2. Newly submitted claims 4-60 directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: The search required for the newly cited claims is not required for the originally presented claimed invention (e.g. detail structure of a moving coil constrained to move; electrical connections; solid coil forms; method involving step of configuring coils to minimize Barkhausen noise; a method with a force detecting element; a method using a molecular force probe etc.).

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 4-60 withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

3. The following is a quotation of the appropriate paragraphs of 35
U.S.C. 102 that form the basis for the rejections under this section made in this
Office action:

A person shall be entitled to a patent unless -

Application/Control Number: 10/016,475

Art Unit: 2862

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Neff (2,452,862).

Neff discloses a displacement apparatus including a first and second non-magnetic coil forms (2,6) with a common axis, each wound with at least one winding (3,4,5); the outside diameter of the first form with its winding or windings being smaller than the inside diameter of the second form (Note Fig. 2) so that each may be displaced relative to the other with the first form inside the second form; the winding on the movable form magnetically coupled to the winding on the stationary form and a circuit generating a signal responsive to relative displacement between the coil forms.

4. Applicant's arguments filed on April 8, 2003 have been fully considered but they are not persuasive. With respect to claim 1, Neff clearly discloses a coil form 2 in figure 1 and an electronic voltmeter generating a signal responsive to relative displacement between the coil forms (Note e.g. figure 1).

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/016,475

Art Unit: 2862

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jay M. Patidar whose telephone number is 703-308-6723. The examiner can normally be reached on M-Thur 7:00-5:30.

The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-0956.

Jay M. Patidar Primary Examiner Tech Center 2862 June 10, 2003